

FIG. 1




FIG. 2
(Prior Art)





FIG. 3






FIG. 4

FIG. 5




FIG. 6




FIG. 7
(Prior Art)

File Distribute Inquire Options Help

For a record, press a function key -or- type an Action Code and press Enter.

A=Address	B=Backup	C=CC-list	E=Dept_title	F=Feedback
I>Show_ids	J=JobResp(1pers)	K=Calendar	L=Local_data	O=Update/Open
P=Phones	R=Rpts-To-All	T=To-list	U=Rpts-Chain	V=View_record

NAME	ACT PHONE	EMPST	NODE	USER ID
Irving, Washington (Irv)	-- 271-4783	Mgr	Nat0002	IRV_W
Jefferson, T.J. (Tom)	-- 232-2489	Reg	Nat0005	HONOR1
Mays, William (Willy)	-- 221-4589	Vend	Nat0009	OUTFIELD
Paine, Freida (Freida)	-- 331-8729	Reg	Nat0002	SINGER
Roosevelt, F.D. (Frank)	-- 338-8850	Reg	Nat0004	PROUDMAN
Square, Herald (Harry)	-- 430-1432	Reg	Nat0002	LOCATION
Washington, George (George)	-- 343-4482	Reg	Nat0009	FIRSTPRES

730 Command ===>

F1=Help	F2=Set_2	F3=Exit	F4=Send_note	F5=Rpts-To-All	F6>Show_dep/team
F7=Backward	F8=Forward	F9=Command	F10=Actions	F11=Dist_list	F12=Cancel

FIG. 8

810	<input type="checkbox"/> Irving, Washington (Irv)	271-4783	Mgr	Nat0002	IRV_W
	<input type="checkbox"/> Jefferson, T.J. (Tom)	232-2489	Reg	Nat005	HONOR1
	<input type="checkbox"/> Mays, William (Willy)	221-4589	Vend	Nat009	OUTFIELD
	<input type="checkbox"/> Paine, Freida (Freida)	331-8729	Reg	Nat002	SINGER
	<input type="checkbox"/> Roosevelt, F.D. (Frank)	338-8850	Reg	Nat004	PROUDMAN
	<input type="checkbox"/> Square, Herald (Harry)	430-1432	Reg	Nat002	LOCATION
	<input type="checkbox"/> Washington, George (George)	343-4482	Reg	Nat009	FIRSTPRES




FIG. 9




FIG. 10

```
<?xml version="1.0" encoding="ISO-8859-1"?>
<xml_host_components> <CustomExtractResults>
<TABLE_ACTION_INSTRUCTION>
<letter>A</letter>
<description>Address</description>
</TABLE_ACTION_INSTRUCTION>
<TABLE_ACTION_INSTRUCTION>
<letter>B</letter>
<description>Backup</description>
</TABLE_ACTION_INSTRUCTION>
<TABLE_ACTION_INSTRUCTION>
<letter>C</letter>
<description>CC-list</description>
</TABLE_ACTION_INSTRUCTION>
<TABLE_ACTION_INSTRUCTION>
<letter>E</letter>
<description>Dept_title</description>
</TABLE_ACTION_INSTRUCTION> ...
```

FIG. 11A

```
<?xml version="1.0" encoding="ISO-8859-1"?>
<xml_host_data>
<session>
  <id type="1">VMZRGRAAAAAACJFGA4QAAA</id>
  <description> </description>
  <host port="23">ralvms</host>
  <size>2</size>
  <codepage>037</codepage>
  <reconnect>true</reconnect>
</session>
<screen cursor="1">
<content>
  <field position="1" length="0" protected="true" numeric="false" hidden="false" reset="false" modified="false"></field>
  <field position="2" length="0" protected="true" numeric="true" hidden="false" reset="false" modified="false"></field>
  <field position="4" length="4" protected="false" numeric="false" hidden="false" reset="false" modified="false">File</field>
  <field position="8" length="0" protected="true" numeric="true" hidden="false" reset="false" modified="false"></field>
  <field position="10" length="10" protected="false" numeric="false" hidden="false" reset="false" modified="false">Distribute</field>
  <field position="20" length="0" protected="true" numeric="true" hidden="false" reset="false" modified="false"></field>
  <field position="22" length="7" protected="false" numeric="false" hidden="false" reset="false" modified="false">Inquire</field>
  <field position="29" length="0" protected="0" numeric="true" hidden="false" reset="false" modified="false"></field>
  <field position="31" length="7" protected="7" numeric="false" hidden="false" reset="false" modified="false">Options</field>
  <field position="38" length="0" protected="true" numeric="true" hidden="false" reset="false" modified="false"></field>
  <field position="40" length="4" protected="false" numeric="false" hidden="false" reset="false" modified="false">Help</field>
  <field position="45" length="35" protected="true" numeric="true" hidden="false" reset="false" modified="false"></field>
  <field position="80" length="0" protected="true" numeric="false" hidden="false" reset="false" modified="false"></field>
  <field position="160" length="0" protected="0" numeric="true" hidden="false" reset="false" modified="false"></field>
```

FIG. 11B

```
<field position="240" length="0" protected="true" numeric="false" hidden="false" reset="false" modified="false"></field>
<field position="242" length="78" protected="true" numeric="true" hidden="false" reset="false" modified="false">
  modified="false">
<field position="320" length="0" protected="true" numeric="false" hidden="false" reset="false" modified="false"></field>
<field position="322" length="78" protected="true" numeric="true" hidden="false" reset="false" modified="false">
  modified="false">For a record, press a function key -or- type an Action Code and press Enter. </field>
<field position="400" length="0" protected="true" numeric="false" hidden="false" reset="false" modified="false"></field>
<field position="401" length="0" protected="true" numeric="true" hidden="false" reset="false" modified="false"></field>
<field position="403" length="77" protected="true" numeric="true" hidden="false" reset="false" modified="false">
  modified="false"> A=Address B=Backup C=CC-list E=Dept_title F=Feedback
<field position="480" length="0" protected="true" numeric="false" hidden="false" reset="false" modified="false"></field>
<field position="481" length="0" protected="true" numeric="true" hidden="false" reset="false" modified="false"></field>
<field position="483" length="77" protected="true" numeric="true" hidden="false" reset="false" modified="false">
  modified="false"> I>Show_ids J=JobResp(1pers) K=Calendar L=Local_data O=Update/Open
<field position="560" length="0" protected="true" numeric="false" hidden="false" reset="false" modified="false"></field>
<field position="561" length="0" protected="true" numeric="true" hidden="false" reset="false" modified="false"></field>
<field position="563" length="77" protected="true" numeric="true" hidden="false" reset="false" modified="false">
  modified="false"> P=Phones R=Rpts-To-All T=To-list U=Rpts-Chain V=View_record
<field position="640" length="0" protected="true" numeric="false" hidden="false" reset="false" modified="false"></field>
<field position="642" length="56" protected="true" numeric="true" hidden="false" reset="false" modified="false">
  modified="false">
<field position="720" length="0" protected="true" numeric="false" hidden="false" reset="false" modified="false"></field>
<field position="722" length="53" protected="true" numeric="true" hidden="false" reset="false" modified="false">
  modified="false">
```

FIG. 11C

```
<field position="960" length="0" protected="true" numeric="false" hidden="false" reset="false" modified="false"></field>
<field position="962" length="35" protected="true" numeric="true" hidden="true" reset="false" modified="false"></field>
<field position="964" length="35" protected="true" numeric="true" hidden="true" reset="false" modified="false"></field>
<field position="997" length="0" protected="true" numeric="true" hidden="false" reset="false" modified="false"></field>
<field position="999" length="3" protected="true" numeric="true" hidden="false" reset="false" modified="false"></field>
<field position="1003" length="8" protected="true" numeric="true" hidden="false" reset="false" modified="false"></field>
<field position="1012" length="28" protected="true" numeric="true" hidden="false" reset="false" modified="false"></field>
<field position="1040" length="0" protected="true" numeric="false" hidden="false" reset="false" modified="false"></field>
<field position="1042" length="37" protected="true" numeric="true" hidden="true" reset="false" modified="false"></field>
<field position="1080" length="1" protected="false" numeric="false" hidden="false" reset="false" modified="false"></field>
<field position="1081" length="0" protected="true" numeric="true" hidden="false" reset="false" modified="false"></field>
<field position="1083" length="8" protected="false" numeric="false" hidden="false" reset="false" modified="false"></field>
<field position="1092" length="28" protected="false" numeric="false" hidden="false" reset="false" modified="false"></field>
<field position="1120" length="0" protected="true" numeric="false" hidden="false" reset="false" modified="false"></field>
<field position="1122" length="37" protected="true" numeric="true" hidden="false" reset="false" modified="false"></field>
<field position="1160" length="1" protected="false" numeric="false" hidden="false" reset="false" modified="false"></field>
```

FIG. 11D

```
<field position="1161" length="0" protected="true" numeric="true" hidden="false" reset="false" modified="false"></field>
<field position="1163" length="8" protected="false" numeric="false" hidden="false" reset="false" modified="false">232-2489</field>
<field position="1172" length="28" protected="false" numeric="false" hidden="false" reset="false" modified="false">
    <field position="1200" length="0" protected="true" numeric="false" hidden="false" reset="false" modified="false"></field>
    <field position="1202" length="37" protected="true" numeric="true" hidden="true" reset="false" modified="false">
        <field position="1240" length="1" protected="false" numeric="false" hidden="false" reset="false" modified="false"></field>
        <field position="1241" length="0" protected="true" numeric="true" hidden="false" reset="false" modified="false"></field>
        <field position="1243" length="8" protected="false" numeric="false" hidden="false" reset="false" modified="false">221-4589</field>
    <field position="1252" length="28" protected="false" numeric="false" hidden="false" reset="false" modified="false">Vend Nat0009 OUTFIELD </field>
    <field position="1280" length="0" protected="true" numeric="false" hidden="false" reset="false" modified="false"></field>
    <field position="1282" length="37" protected="true" numeric="true" hidden="true" reset="false" modified="false">
        <field position="1320" length="1" protected="false" numeric="false" hidden="false" reset="false" modified="false"></field>
        <field position="1321" length="0" protected="true" numeric="true" hidden="false" reset="false" modified="false"></field>
        <field position="1323" length="8" protected="false" numeric="false" hidden="false" reset="false" modified="false">331-8729</field>
    <field position="1332" length="28" protected="false" numeric="false" hidden="false" reset="false" modified="false">Reg Nat0002 SINGER</field>
    <field position="1360" length="0" protected="true" numeric="false" hidden="false" reset="false" modified="false"></field>
    <field position="1362" length="37" protected="true" numeric="true" hidden="true" reset="false" modified="false">
        <field position="1400" length="1" protected="false" numeric="false" hidden="false" reset="false" modified="false"></field>
        <field position="1401" length="0" protected="true" numeric="true" hidden="false" reset="false" modified="false"></field>
        <field position="1403" length="8" protected="false" numeric="false" hidden="false" reset="false" modified="false">338-8850</field>
    <field position="1404" length="0" protected="true" numeric="true" hidden="true" reset="false" modified="false"></field>
```

FIG. 11E

```
<field position="1412" length="28" protected="false" numeric="false" hidden="false" reset="false" modified="false">Reg Nat0004 PROUDMAN</field>
<field position="1440" length="0" protected="true" numeric="false" hidden="false" reset="false" modified="false"></field>
<field position="1442" length="37" protected="true" numeric="true" hidden="false" reset="false" modified="false">
    <field position="1480" length="1" protected="false" numeric="false" hidden="false" reset="false" modified="false"></field>
    <field position="1481" length="0" protected="true" numeric="true" hidden="false" reset="false" modified="false"></field>
    <field position="1483" length="8" protected="false" numeric="false" hidden="false" reset="false" modified="false">
        <field position="1492" length="28" protected="false" numeric="false" hidden="false" reset="false" modified="false">Reg Nat0002 LOCATION</field>
        <field position="1520" length="0" protected="true" numeric="false" hidden="false" reset="false" modified="false"></field>
        <field position="1522" length="37" protected="true" numeric="true" hidden="false" reset="false" modified="false">
            <field position="1560" length="1" protected="false" numeric="false" hidden="false" reset="false" modified="false"></field>
            <field position="1561" length="0" protected="true" numeric="true" hidden="false" reset="false" modified="false"></field>
            <field position="1563" length="8" protected="false" numeric="false" hidden="false" reset="false" modified="false">
                <field position="1572" length="28" protected="false" numeric="false" hidden="false" reset="false" modified="false">Reg Nat0009 FIRSTPRESS</field>
                <field position="1600" length="0" protected="true" numeric="false" hidden="false" reset="false" modified="false"></field>
                <field position="1602" length="78" protected="true" numeric="true" hidden="false" reset="false" modified="false">
                    <field position="1680" length="0" protected="true" numeric="false" hidden="false" reset="false" modified="false"></field>
                    <field position="1682" length="12" protected="true" numeric="true" hidden="false" reset="false" modified="false">
                        <field position="1695" length="65" protected="false" numeric="false" hidden="false" reset="false" modified="false">
                            <field position="1760" length="0" protected="true" numeric="false" hidden="false" reset="false" modified="false"></field>
                        </field>
                    </field>
                </field>
            </field>
        </field>
    </field>
</field>
```

FIG. 11F

```
<field position="1762" length="78" protected="true" numeric="true" hidden="false" reset="false" modified="false">F1=Help F2=Set_2 F3=Exit F4=Send_note F5=Rpts-To-All F6>Show_dept/team </field>
<field position="1840" length="0" protected="true" numeric="false" hidden="false" reset="false" modified="false">F7=Backward F8=Forward F9=Command F10=Actions F11=Dist_list F12=Cancel </field>
<field position="1920" length="0" protected="true" numeric="false" hidden="false" reset="false" modified="false"></content>
<interaction/>
</screen>
</xml_host_data>
```